



NIMMI 

CABINET LIFT




NIMMI APP




Features

- Economical solution for lift-up cabinets
- Single piece packing enables greater flexibility in installation
- To be installed only with regular closing hinges
- Can be installed with Aluminum Frames



Note : Graph shown is for 18mm thick MDF shutters, sizes may vary depending on the thickness & type of shutters.



NGL Gas Lift

Item Code	Force(N)
NGL001	30
NGL002	60
NGL003	80
NGL004	100
NGL005	120
NGL006	150
NGL007	200

Features

- Anywhere stop feature allowing the door to stop at any angle after 45 degrees
- Superior product compared to a gas spring with integrated adjustable soft closing mechanism
- 3 dimensional door panel adjustment
- Tested for 20,000 Cycles
- Suitable for cabinet width up to 1800mm
- Compliant to system 32



Technical Specification

- To calculate the lift factor or power factor, multiply the door panel weight X the door panel height
- To calculate the door weight use the formula height(mm) X width(mm) X thickness(mm) X 8/1,00,00,000 for wooden doors
- For glass doors the formula is height(mm) X width(mm) X thickness(mm) X 25/1,00,00,000 excluding weight of aluminium profile

Power Factor	Max. Door Height	Max. Cabinet Width	Item Code
580-1250	400	1200	NPL-Mini-1250
960-2040	500	1200	NPL-Mini-2040
1800-3500	500	1200	NPL-Mini-3500
1500-4900	500	1800	NPL-XL4900
3200-9000	700	1800	NPL-XL9000

NPLMINI75S/100S - NeuvoPro Mini Angle Stopper



- Angle Stoppers for NPL Mini at 75° and 100° respectively

Angle	Finish
100° 75°	Grey

NPLXL75S/100S - NeuvoPro XL Angle Stopper



- Angle Stoppers for NPL XL at 75° and 100° respectively

Angle	Finish
100° 75°	Grey

